



LIGHTING

Discover the beauty and functionality of Royal Botania Lighting. Our harmonious designs come in a variety of styles and are made from high-quality materials with cutting-edge technology. Enhance the appearance of your property and create a dynamic display with outdoor lighting that not only transforms its appearance at night, but also adds security to your driveways and entrance paths.

AVAILABILITY OF PRODUCTS

PLEASE NOTE THAT SOME PRODUCT REFERENCES ARE MARKED WITH AN ASTERISK (*), INDICATING THAT THEY ARE ONLY AVAILABLE WHILE SUPPLIES LAST. IF YOU WOULD LIKE MORE INFORMATION OR TO CHECK ON CURRENT STOCK, PLEASE CONTACT US.

LEGEND


IP43 PROTECTED AGAINST OBJECTS > 1MM & PROTECTED AGAINST WATER SPRAYED AT MAX. ANGLE 60°

IP44 PROTECTED AGAINST OBJECTS > 1MM & WATER PROJECTIONS FROM ALL DIRECTIONS (360°)

IP55 PROTECTED AGAINST DUST & AGAINST WATER SPRAYED FROM ALL DIRECTIONS (360°)

IP65 TOTALLY SEALED AGAINST DUST & AGAINST WATER SPRAYED FROM ALL DIRECTIONS (360°)


IP68 TOTALLY SEALED AGAINST DUST & PROTECTED AGAINST PERMANENT IMMERSION





	Protective category 1
	Protective category 2
	Protective category 3

4	BEACON
6	BEACON WALL
8	BEAMY
10	BEAMY WALL
12	BULLET
14	CLOCHE WALL
16	CLUB LOUNGE
18	DOME CEILING
20	DOME FLOOR
22	DOME GATE
24	DOME MOVE
26	DOME SMALL
28	DOME WALL
30	DOME GLASS VARIETIES
32	FUNGY
36	LUNIZ
40	MEDUZ

42	MOSO WALL
44	OMEGA WALL
46	PARKER
48	PARKER WALL
50	Q-BIC
52	Q-BIC WALL
56	ROPY
58	ROPY TABLE
62	RUSTY
64	SEPTEM
66	SPIKY
68	SPOTTY
72	TESLA CEILING
74	TESLA WALL
78	TRISTAR
82	ACCESSORIES
83	MATERIALS

BEACON




REFERENCE	DESCRIPTION	INTEGRATED LIGHT	WATT	K	LM	INPUT	IP	EEC
BCN140B	 BLACK	LED	2,2 W	2700	390	100-240V	65	C 
BCN140W	 WHITE	LED	2,2 W	2700	390	100-240V	65	C 

INCLUDES 250mA DRIVER
INSTALLATION OPTION: JUB5625




BEACON WHITE PORCELAIN

BEACON WALL







TEAK



PORCELAIN: BLACK/WHITE





REFERENCE	DESCRIPTION	INTEGRATED LIGHT	WATT	K	LM	INPUT	IP	EEC
BCNWB	 BLACK	LED	2,2 W	2700	390	100-240V	65	C 
BCNWW	 WHITE	LED	2,2 W	2700	390	100-240V	65	C 











INCLUDES 250mA DRIVER



BEACON WALL WHITE PORCELAIN

BEAMY




REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	INPUT	IP	EEC
BM Y100230AZ	 ANTIQUE ZINC	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G 
BM Y100230AB	 ANTIQUE BRASS	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G 
BM Y100230WB	 WEATHERED BRASS	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G 
BM Y100230A	 ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G 
BM Y100230WR	 WHITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G 

INSTALLATION OPTION: JUB5625



BEAMY ANTHRACITE COATED - ALURA 195 LOUNGER - BUTLER 40 SIDE TABLE

BEAMY WALL




ANTIQUE ZINC



ANTIQUE BRASS

WEATHERED BRASS



POWDER COATED ALUMINIUM: ANTHRACITE/WHITE



REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	INPUT	IP	EEC
BMYW230AZ	ANTIQUE ZINC	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G
BMYW230AB	ANTIQUE BRASS	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G
BMYW230WB	WEATHERED BRASS	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G
BMYW230A	ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G
BMYW230WR	WHITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G



ANTIQUE ZINC



ANTIQUE BRASS



WEATHERED BRASS




ANTHRACITE COATED




WHITE COATED



BULLET











ANTIQUE BRASS



ANTIQUE ZINC




REFERENCE	DESCRIPTION	INTEGRATED LIGHT	WATT	INPUT	IP	EEC
BLTG230AB	 40 CM - ANTIQUE BRASS	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G 
BLTG230AZ	 40 CM - ANTIQUE ZINC	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G 
BLT230AB	 110 CM - ANTIQUE BRASS	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G 
BLT230AZ	 110 CM - ANTIQUE ZINC	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G 


INFO: ADJUSTABLE HEAD



CLOCHE WALL





TEAK




MOUTHBLOWN GLASS: CLEAR



REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC
CLOW	 CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	44	A-G 




CLUB LOUNGE







TEAK



LAMP SHADE: TRANSPARENT/AMBER



REFERENCE	DESCRIPTION	INTEGRATED LIGHT	WATT	K	LM	INPUT	IP	EEC
CLBLTR	 TRANSPARENT SHADE	LED	4,3 W	2700	700	100-240V	65	D 
CLBLAM	 AMBER SHADE	LED	4,3 W	2700	700	100-240V	65	D 


CORD LENGTH: 4 METER

POWER SUPPLY: 500MA DRIVER INCLUDED



CLUB LOUNGE WITH TRANSPARENT LAMP SHADE - MAMBO LOUNGE - RUG 2535 SAND

DOME CEILING



POWDER COATED ALUMINIUM: BLACK



MOUTHBLOWN GLASS: CLEAR/SMOKE




REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC
DOMECBCL	49-78 CM - CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G
DOMECBSM	49-78 CM - SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G
DOMECLBCL	74-134 CM - CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G
DOMECLBSM	74-134 CM - SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G



DOME CEILING 49-78CM WITH CLEAR GLASS - TABOELA 220 DINING TABLE - O-ZON 55 DINING CHAIR

DOME FLOOR







POWDER COATED ALUMINIUM: BLACK



MOUTHBLOWN GLASS: CLEAR/SMOKE




REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC
DOMEFBCL	 CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G 
DOMEFBSM	 SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G 

INSTALLATION OPTION: JUB5625



DOME GATE







POWDER COATED ALUMINIUM: BLACK



MOUTHBLOWN GLASS: CLEAR/SMOKE




REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC
DOEGTBCL	 CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G 
DOEGTBSM	 SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G 



DOME GATE WITH CLEAR GLASS

DOME MOVE







POWDER COATED ALUMINIUM: BLACK



MOUTHBLOWN GLASS: CLEAR/SMOKE



REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC
DOMEMBCL	 CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G 
DOMEMBSM	 SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G 


CORD LENGTH: 5 METER

O3DOMEMBALLAST01: OPTIONAL GALVANIZED STEEL BALLAST



DOME MOVE WITH SMOKE GLASS - DOME WALL WITH CLEAR GLASS

DOME SMALL



POWDER COATED ALUMINIUM: BLACK







MOUTHBLOWN GLASS: CLEAR/SMOKE



TEAK



REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC
DOMESBCL	 CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G 
DOMESBSM	 SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G 

CORD LENGTH: 4 METER



DOME SMALL WITH SMOKE & CLEAR GLASS

DOME WALL







POWDER COATED ALUMINIUM: BLACK



MOUTHBLOWN GLASS: CLEAR/SMOKE



REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC
DOMEWBCL	 CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G 
DOMEWBSM	 SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G 



DOME GLASS VARIETIES


FLOOR / WALL



REFERENCE

03DOMG01		CLEAR MOUTHBLOWN GLASS
03DOMG01SM		SMOKE MOUTHBLOWN GLASS

MOVE / SMALL / GATE / CEILING



REFERENCE

03DOMG02		CLEAR MOUTHBLOWN GLASS
03DOMG02SM		SMOKE MOUTHBLOWN GLASS




— CLEAR



— SMOKE

FUNGY







RUSTY IRON



WEATHERED BRASS





REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	INPUT	IP	EEC
FGY50RI	 RUSTY IRON	G9 - (LED NOT INCLUDED)	MAX 5 W	230V	55	A-G 
FGY50WB	 WEATHERED BRASS	G9 - (LED NOT INCLUDED)	MAX 5 W	230V	55	A-G 

INSTALLATION OPTION: JUB5625











POWDER COATED STAINLESS STEEL FRAME: ANTHRACITE/PEBBLE



CERAMIC BASE PLATE







ROPE LAMP SHADE OPTION: BLACK/GREEN/DESERT



FABRIC LAMP SHADE OPTION: 70+ FABRICS



REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	INPUT	IP	EEC
LNZSMLA	 ANTHRACITE	3x E27 - DECORATIVE LEDS INCLUDED	MAX 15W	230V	44	A-G 
LNZSMLPB	 PEBBLE	3x E27 - DECORATIVE LEDS INCLUDED	MAX 15W	230V	44	A-G 
LNZBASE70CERAM...(WUM/CL/PG/NM/BS/TR/TG/ZUM/CD/TS/TM) CERAMIC BASE PLATE						
LNZSHADER40A...	(BR/G/D) 40 CM ROPE LAMP SHADE					
LNZSHADER50A...	(BR/G/D) 50 CM ROPE LAMP SHADE					
LNZSHADER60A...	(BR/G/D) 60 CM ROPE LAMP SHADE					
LNZSHADEF40WR...	(SEE FABRICS) 40 CM FABRIC LAMP SHADE					
LNZSHADEF50WR...	(SEE FABRICS) 50 CM FABRIC LAMP SHADE					
LNZSHADEF60WR...	(SEE FABRICS) 60 CM FABRIC LAMP SHADE					

THIS LAMP COMES WITH A HEAVY BASE THAT ALLOWS FOR VARIOUS CERAMIC BASE PLATE CHOICES. IT HAS MODULAR LAMP SHADE OPTIONS WITH THREE SIZES THAT CAN BE MIXED OR MATCHED. AVAILABLE IN THREE ROPE COLOURS OR OVER 70 FABRICS.

CORD LENGTH: 5M




LUNIZ ANTHRACITE COATED WITH BLACK & DESERT POLYOLEFIN ROPE LAMP SHADES - STYLETTO LOUNGE - RUG 2535 ROCK






MEDUZ







POWDER COATED ALUMINIUM: ANTHRACITE/PEBBLE



MOUTHBLOWN GLASS: SMOKE




REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC
MDZ15OASM	 ANTHRACITE - SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G 
MDZ15OPBSM	 PEBBLE - SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G 

CORD LENGTH: 5M















MEDUZ ANTHRACITE COATED WITH SMOKE GLASS - EXES 77 LOW DINING CHAIRS- BUTLER 40 & 60 SIDE TABLE - RUG 150 BARK

MOSO WALL



PORCELAIN: WHITE/BLACK/NIGHT BLUE






REFERENCE	DESCRIPTION	INTEGRATED LIGHT	WATT	K	LM	INPUT	IP	EEC
MSOWUW*	 UP - WHITE	LED	3 W	2700	450	230V	65	D 
MSOWUB*	 UP - BLACK	LED	3 W	2700	450	230V	65	D 
MSOWUNB*	 UP - NIGHT BLUE	LED	3 W	2700	450	230V	65	D 
MSOWDW*	 DOWN - WHITE	LED	3 W	2700	450	230V	65	D 
MSOWDB*	 DOWN - BLACK	LED	3 W	2700	450	230V	65	D 
MSOWDNB*	 DOWN - NIGHT BLUE	LED	3 W	2700	450	230V	65	D 

POWER SUPPLY: 350MA DRIVER INCLUDED



MOSO WALL DOWN NIGHT BLUE PORCELAIN

OMEGA WALL



ELECTROPOLISHED STAINLESS STEEL




REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	INPUT	IP	EEC
OMG1D220EP	1 SPOT	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G
OMG2D220EP	2 SPOTS	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G



PARKER FLOOD & PATH











ANTIQUE BRASS



BLACK PEARL GRANITE



REFERENCE	DESCRIPTION	INTEGRATED LIGHT	WATT	K	LM	INPUT	IP	EEC
PRKF	 WITH BASE	LED	4 W	2700	700	100-240V	65	C 
PRKP	 WITH SPIKE	LED	4 W	2700	700	100-240V	65	C 
LIGHTBULB SOCKET								
PRKF230	 WITH BASE	GU10 (LED NOT INCLUDED)	MAX 5 W			230V	55	A-G 
PRKP230	 WITH SPIKE	GU10 (LED NOT INCLUDED)	MAX 5 W			230V	55	A-G 


CORD LENGTH: 5 METER
LED INCLUDES 500mA DRIVER

PRKF: INCLUDES 40 CM GRANITE BASE
PRKP: INCLUDES SPIKE








PARKER PATH WITH SPIKE

PARKER WALL




ANTIQUE BRASS



REFERENCE	DESCRIPTION	INTEGRATED LIGHT	WATT	K	LM	INPUT	IP	EEC
PRKW	 ANTIQUE BRASS	LED	3 W	2700	450	100-240V	65	D 
LIGHTBULB SOCKET								
PRKW230	 ANTIQUE BRASS	GU10 (LED NOT INCLUDED)	MAX 5 W			230V	55	A-G 

LED INCLUDES 350mA DRIVER






REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	INPUT	IP	EEC
QB301D220EP	30 CM 1 SPOT - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G
QB302D220EP	30 CM 2 SPOT - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G
QB601D220EP	60 CM 1 SPOT - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G
QB602D220EP	60 CM 2 SPOT - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G
QBG1D220EP	10 CM 1 SPOT - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G
QBG2D220EP	10 CM 2 SPOT - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G
QB301D230A	30 CM 1 SPOT - ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G
QB302D230A	30 CM 2 SPOT - ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G
QB601D230A	60 CM 1 SPOT - ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G
QB602D230A	60 CM 2 SPOT - ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G
QBG1D230A	10 CM 1 SPOT - ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G
QBG2D230A	10 CM 2 SPOT - ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G

ADJUSTABLE ANGLE 270°
INSTALLATION OPTION: JUB5625



Q-BIC WALL



REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	INPUT	IP	EEC
QBW1D220EP	1 SPOT - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G
QBW2D220EP	2 SPOTS - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G
QBWVD220EP	1 SPOT 270° - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G
QBWVD230A	1 SPOT 270° - ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G

QBWVD220EP: ADJUSTABLE ANGLE 270° - GROUND MOUNTING IS ALSO POSSIBLE
QBWVD230A: ADJUSTABLE ANGLE 270° - GROUND MOUNTING IS ALSO POSSIBLE




Q-BIC WALL 1 SPOT 270° ELECTROPOLISHED STAINLESS STEEL






ROPY




SOLAR LIGHT



Ø 29 CM







40 CM

POWDER COATED ALUMINIUM: ANTHRACITE/GREEN/PEBBLE



POLYOLEFIN ROPE: BRONZE/GREEN/DESERT




REFERENCE	DESCRIPTION	INTEGRATED LIGHT	WATT	K	LM	INPUT	IP	EEC	
RPY040AB	 BRONZE	SOLAR LED	3,2 W	2700	400	230V	54	A	
RPY040GG	 GREEN	SOLAR LED	3,2 W	2700	400	230V	54	A	
RPY040PBD	 DESERT	SOLAR LED	3,2 W	2700	400	230V	54	A	



ROPY ANTHRACITE COATED WITH BLACK POLYOLEFIN ROPE

ROPY TABLE









POWDER COATED ALUMINIUM: ANTHRACITE/GREEN/PEBBLE



POLYOLEFIN ROPE: BRONZE/GREEN/DESERT



REFERENCE	DESCRIPTION	INTEGRATED LIGHT	WATT	K	LM	INPUT	IP	EEC
RPYTBAB	 BRONZE	SOLAR LED	1,2 W	2700	150	230V	54	A 
RPYTBGG	 GREEN	SOLAR LED	1,2 W	2700	150	230V	54	A 
RPYTBPD	 DESERT	SOLAR LED	1,2 W	2700	150	230V	54	A 




ROPY TABLE PEBBLE COATED WITH DESERT POLYOLEFIN ROPE






RUSTY






REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC
RUS40	40 CM	E27 - LED / FLUO (NOT INCLUDED)	MAX 11 W				55	A-G
RUS70	70 CM	E27 - LED / FLUO (NOT INCLUDED)	MAX 11 W				55	A-G
INTEGRATED LIGHT								
RUS40L	40 CM	LED	9 W	3000	470	230V	55	G
RUS70L	70 CM	LED	9 W	3000	470	230V	55	G

LED INCLUDES 250mA DRIVER
INSTALLATION OPTION: JUB5625



SEPTEM




REFERENCE		INTEGRATED LIGHT	WATT	K	LM	INPUT	IP	EEC	
SEP070W		LED	3 W	2700	450	100-240V	65	C	


ADJUSTABLE SPOT 10°
INCLUDES 350mA DRIVER



SPIKY



ANTIQUE BRASS




REFERENCE	DESCRIPTION	INTEGRATED LIGHT	WATT	K	LM	INPUT	IP	EEC
SPKG	40 CM	LED	3 W	2700	450	230V	65	A
SPK	100 CM	LED	3 W	2700	450	230V	65	A

REQUIRED: LEDCONKIT OR DRI1



SPIKY 40 CM


SPOTTY




REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	INPUT	IP	EEC
SPT230L040WB	40 CM	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	65	A-G
SPT230L110WB	110 CM	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	65	A-G







TESLA CEILING







POWDER COATED ALUMINIUM: ANTHRACITE




MOUTHBLOWN GLASS: CLEAR/SMOKE



REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC
TSLCA	 CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G 
TSLCASM	 SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G 



TESLA WALL







POWDER COATED ALUMINIUM: ANTHRACITE



MOUTHBLOWN GLASS: CLEAR/SMOKE



REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC
TSLWA	 CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G 
TSLWASM	 SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G 




TESLA WALL WITH SMOKE GLASS - CONIX 150V DINING TABLE - OSTREA 55 DINING CHAIR - ROPY TABLE PEBBLE COATED WITH DESERT POLYOLEFIN ROPE





TRISTAR



TEAK



POWDER COATED STAINLESS STEEL: ANTHRACITE/WHITE



MOUTHBLOWN GLASS: CLEAR/SMOKE



REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC
TRS045CL	45 CM - TEAK - CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G
TRS045SM	45 CM - TEAK - SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G
TRS050CL	50 CM - TEAK - CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G
TRS050SM	50 CM - TEAK - SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G
TRS045ACL	45 CM - ANTHRACITE - CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G
TRS045WRCL	45 CM - WHITE - CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G
TRS045ASM	45 CM - ANTHRACITE - SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G
TRS045WRSM	45 CM - WHITE - SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G
TRS050ACL	50 CM - ANTHRACITE - CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G
TRS050WRCL	50 CM - WHITE - CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G
TRS050ASM	50 CM - ANTHRACITE - SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G
TRS050WRSM	50 CM - WHITE - SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G

CORD LENGTH 6,5 METER







TRISTAR 50 & 45 CM TEAK WITH SMOKE GLASS





TRISTAR 50 & 45 CM TEAK WITH CLEAR GLASS

ACCESSORIES

LBF	STAINLESS STEEL SPIKE: FUNGY	
LBN	STAINLESS STEEL SPIKE: Q-BIC 30/60 / SEPTEM	
LBQ	STAINLESS STEEL SPIKE: Q-BIC GROUND / Q-BIC WALL	
LBD	GALVANISED STEEL SPIKE: DOME FLOOR	
LBDM	GALVANISED STEEL SPIKE: DOME MOVE	
LBR	GALVANISED STEEL SPIKE: RUSTY	
BL360	PERFORATED SCREEN 360° - STAINLESS STEEL	
BL180	PERFORATED SCREEN 180° - STAINLESS STEEL	
BINLS	LED INSERT FOR NEW OR REPLACEMENT FIXTURES (LED 8,5W - 470lm - 3000K - 230V / 50Hz)	CE  IP55
BINLR	LED INSERT FOR NEW OR REPLACEMENT FIXTURES WITH VARIOUS LIGHTOUTPUT LED 2,2W - 390lm UP TO 4,3W - 700lm - 2700K (FOR MORE INFO: PLEASE CONTACT YOUR ROYAL BOTANIA DEALER)	CE IP55
BIN2	E27 LAMP HOLDER - 220V/E27 - LED FLUO MAX 11W	CE  IP55
BINLG9	G9 LAMP HOLDER - 230V/G9 - LED ONLY MAX 5W	CE  IP55
LEDCONKIT	= DRI1 + JUB5625 + JUB5630	
DRI1	IP68 LED DRIVER 100-220V 50-60HZ - 350mA - 9W	CE IP68
JUB5625	CONNECTION BOX IP68 - 3X4 mm²	CE IP68
JUB5630	JUNCTION BOX IP68 - 2X1,5 mm²	CE IP68
OPTIONAL BULB FOR TESLA / CLOCHE WALL / LUNIZ / MEDUZ / TRISTAR / DOME COLLECTION		
LTLED04WE27	LED FILAMENT BULB 4W - 220V/E27 - 2200K - 280lm	CE 

MATERIALS

TEAK

ROYAL BOTANIA USES CAREFULLY SELECTED, FULLY GROWN TEAK IN ITS PRODUCTS. THE WOOD COMES FROM THE TECTONA GRANDIS TREE AND IS HARVESTED IN ACCORDANCE WITH ENVIRONMENTAL STANDARDS. TEAK IS DURABLE BECAUSE IT CONTAINS HIGH LEVELS OF NATURAL OILS, WHICH PREVENT MOISTURE ABSORPTION AND WARPING. IT IS ALSO RESISTANT TO CHEMICALS AND VERMIN. THESE QUALITIES MAKE TEAK THE MOST PREMIUM WOOD ON EARTH.

TEAK
REF: W



ELECTROPOLISHED STAINLESS STEEL

ELECTROPOLISHED STAINLESS STEEL FROM ROYAL BOTANIA IS HIGHLY RESISTANT TO CORROSION. THIS IS BECAUSE THE ELECTROPOLISHING PROCESS REMOVES IMPURITIES AND DEFECTS FROM THE SURFACE OF THE STEEL, CREATING A SMOOTH AND UNIFORM SURFACE THAT IS RESISTANT TO CORROSION. THE PROCESS ALSO INCREASES THE THICKNESS OF THE PROTECTIVE CHROMIUM OXIDE LAYER ON THE STEEL'S SURFACE. THE STEEL IS ALSO MORE DURABLE AND LESS LIKELY TO CRACK OR WARP BECAUSE THE ELECTROPOLISHING PROCESS REMOVES ANY RESIDUAL STRESS IN THE STEEL. THIS MAKES IT AN OPTIMAL CHOICE FOR USE IN OUTDOOR ENVIRONMENTS. THE ELECTROPOLISHING PROCESS CREATES A HIGHLY CORROSION-RESISTANT STAINLESS STEEL THAT IS DURABLE AND LONG-LASTING.


ELECTROPOLISHED STAINLESS STEEL
REF: EP




POWDER COATED ALUMINIUM

OUR POWDER COATED ALUMINIUM IS PERFECT FOR OUTDOOR LIGHTING BECAUSE IT IS STRONG, LIGHTWEIGHT, AND RESISTANT TO CORROSION. THE POWDER COATING PROCESS CREATES A DURABLE, EASY-TO-CLEAN SURFACE THAT CAN WITHSTAND EXPOSURE TO THE ELEMENTS. THIS MAKES IT AN IDEAL MATERIAL FOR OUTDOOR LIGHTING FIXTURES.


WHITE
REF: WR




ANTHRACITE
REF: A



PEBBLE
REF: PB



GREEN
REF: G



RUSTY IRON

ROYAL BOTANIA USES A CAST IRON ALLOY WITH A SMALL PERCENTAGE OF COPPER AND CHROME. THIS PREVENTS ANY LAYER OF OXIDATION CREATED BY CONTACT WITH AIR AND WATER FROM FLAKING OFF. THE RESULT IS AN EVEN, RUST-COLOURED PATINA THAT BLENDS IN PERFECTLY WITH THE NATURAL SURROUNDINGS.

RUSTY IRON

REF: RI



GLASS

ROYAL BOTANIA OFFERS TWO VARIETIES OF COLORED GLASS: CLEAR AND SMOKE, BOTH HANDMADE AND HIGHLY SUITABLE FOR OUTDOOR USE.

CLEAR

REF: CL



SMOKE

REF: SM



BRASS

BRASS IS A METALLIC ALLOY COMPOSED OF COPPER AND ZINC. THE ANTIQUE BRASS FINISH IS ACHIEVED THROUGH A PROCESS OF ACID DIPPING, WHICH GIVES THE BRASS A DARK, AGED APPEARANCE. THIS FINISH IS WIDELY SOUGHT AFTER FOR ITS UNIQUE, VINTAGE LOOK.

ANTIQUÉ BRASS

REF: AB



WEATHERED BRASS

REF: WB



ZINC

THE ZINC ALLOY USED TO MANUFACTURE ROYAL BOTANIA LIGHTING WILL LOOK WHITE IN COLOUR WHEN FIRST INSTALLED IN THE LANDSCAPE. THIS IS DUE TO THE ACIDIFICATION OF THE ZINC OXIDE. AT A LATER STAGE, THIS WHITE DEPOSIT WILL WASH OFF AND WILL TURN INTO A LOVELY DARKGREY PATINA.

ZINC
REF: Z



PORCELAIN

PORCELAIN, REFINED AND PRODUCED WITH MODERN AND SOPHISTICATED TECHNIQUES REMAINS STABLE IN ALL TEMPERATURES. IT'S EXTREMELY HARD, WEAR-RESISTANT AND COLORFAST. THIS SUSTAINABLE AND LIFELONG PORCELAIN IS VERY SUITABLE FOR INDOOR- AND OUTDOOR USE.

WHITE
REF: W



BLACK
REF: B




NIGHT BLUE
REF: NB



POLYOLEFIN

THIS SYNTHETIC FIBRE WHICH IS MADE FROM POLYETHYLENE, OFFERS NUMEROUS BENEFITS. THESE INCLUDE EXCEPTIONAL STRENGTH, COLOR FASTNESS, AND RESISTANCE TO STAINING AND VARIOUS WEATHER CONDITIONS. ITS DURABILITY AND VERSATILITY MAKE IT AN EXCELLENT CHOICE FOR A WIDE RANGE OF APPLICATIONS.


BRONZE
REF: ...B - POLYPROPYLENE



GREEN
REF: ...G - POLYPROPYLENE



DESERT
REF: ...D - POLYPROPYLENE



FABRICS

ROYAL BOTANIA SOURCES ONLY THE FINEST QUALITY TEXTILES FROM AROUND THE WORLD, METICULOUSLY SELECTING MATERIALS THAT ARE BOTH SUMPTUOUS TO THE TOUCH AND CAPABLE OF WITHSTANDING THE ELEMENTS, RESULTING IN A PRODUCT THAT IS BOTH LUXURIOUS AND PRACTICAL.

VIEW THEM BY SCANNING THE QR CODE BELOW!



CERAMIC

THE CERAMIC TOPS ARE MADE FROM NATURAL CLAYS, SO SMALL COLOUR GRADATIONS CAN OCCUR. THIS MAKES EACH TABLE UNIQUE.


WHITE
REF: WUM




CEMENTO LUMINOSO
REF: CL




PEARL GREY
REF: PG



NERO MARQUINA
REF: NM



BIANCO STATUARIO
REF: BS




TRAVERTINO
REF: TR




TAUPE GREY
REF: TG



BLACK
REF: ZUM




CEPPO DOLOMITICA
REF: CD



TERRA SABBIA
REF: TS



TERRA MARRONE
REF: TM



FURNITURE & PLANTER CATALOGUE

ASK YOUR DEALER FOR THE COMPLETE OUTDOOR FURNITURE & PLANTER CATALOGUE
OR DOWNLOAD THEM ON OUR WEBSITE: WWW.ROYALBOTANIA.COM

VIEW THEM HERE

